



STOPS

UNIQUE
POOL
EXPERIENCE

CONTENT

| | |
|----|-------------------------------|
| 04 | About |
| 09 | Advanced Machinery |
| 12 | Projects Map |
| 14 | Materials |
| 22 | Products |
| 49 | Installation Proposals |
| 52 | Iconic Projects |
| 69 | Wellness & Spas |
| 74 | Project Gallery |
| 83 | Project Inventory |



Crete Factory and Showroom

COMPANY PROFILE

Stonetech Gonianakis, founded in 1975 in Heraklion Greece, is a vertically integrated company specialized in natural stones and engineered surfaces trading and processing.

With two factories, three showrooms and one quarry in Greece, Stonetech is an established company in the national and international market.

The company has exclusive access to the Silver Cloud marble quarry in Volos, Greece, while it has priority access to most of the Greek marble quarries. Our import and export activity guarantees the highest quality in natural stones for our clients and the projects we undertake.

Stonetech, being a key player in engineered surfaces is the exclusive distributor of Neolith and Quarella in Greece, while it is constantly expanding its portfolio in cutting edge surfaces.



Silver Cloud Marble Quarry

STONETECH POOLS

Stonetech Pools specializes in the production of pool products from natural stones and engineered surfaces, including coping stones, drain grates, floor tiles, and other customized orders. Our products have an anti-slip surface technology, providing the highest safety for pools surroundings. Stonetech Pools also provides solutions for exterior wall cladding and flooring giving a unified look and feel to the landscape.

The company's products are fully calibrated with deviations below 1 mm (tolerances \pm 1mm), while the free shape of the swimming pools is produced all in privately-owned or engaged CNC and water jet instruments.

Stonetech Pools is fully compliant with the International standards and legislation providing high-quality products, ensuring safety for both customers and the natural environment. In addition, our company has been certified with ISO 9001 for the quality of our products and services.

Our company aims at providing a **UNIQUE POOL EXPERIENCE** to all our customers.



Daos Cove Luxury Resort, Crete, Greece

PRODUCTION PROCESS



**REQUEST
FOR QUOTE**



**QUOTE
ANALYSIS**



**CUSTOMER
OFFER**



**ORDER
CONFIRMATION**



Straight Swimming
Pools



Curve Swimming
Pools or Combination
with straight



**STONETECH
POOLS DESIGN
DEPARTMENT**



COMBINATION



QUALITY CONTROL



**PACKAGING,
FINAL
INSPECTION**



**SHIPPING TO
THE CUSTOMER**



Straight Swimming
Pools Production Order



Vertical Production for
Straight Pool Products



Curve Swimming Pools
or Combination
with Straight:
Analysis, Measurement
with Leica 3D



Production of Curves or
Special Parts According
to the Designs from CNC
& Waterjet of Stonetech
Polls

ADVANCED MACHINERY

Stonetech has a vertical integrated production unit of coping stones and drain grates.

The company uses cutting edge technologies to ensure the finest detail and secure the best outcome of the products, for the most demanding projects.

Stonetech achieves high production standards, through a fully automated series of advanced machinery for cutting and processing of natural stones.



CNC 5 axes



CNC cutting line in belt




Application in CNC



Digital measuring, design and production of high end products and applications

OUR PROJECTS MAP



**Our products decorate pools globally.
Stonetech Pools has exclusive partnerships
around the world making our Unique Pool
Experience accessible to all, beyond borders.**

MATERIALS



SANDBLASTED DRY



SANDBLASTED WET

SILVER CLOUD

Country: **Greece**

Material: **Marble**

Color: **White Grey**

Testing

Compressive Strength: **110 Mpa**


Water Absorption: **0,11 by Weight %**

Density: **2734 kg/m3**

Flexural Strength: **24 Mpa**



SANDBLASTED DRY



SANDBLASTED WET

KAVALÁ

Country: **Greece**

Material: **Marble**

Color: **Off White**

Testing

Compressive Strength: **99.9 Mpa**

Water Absorption: **0,07 by Weight %**

Density: **2709 kg/m³**

Flexural Strength: **15.3 Mpa**



SANDBLASTED DRY



SANDBLASTED WET

SILVER GREY

Country: **Greece**

Material: **Marble**

Color: **Grey**

Testing

Compressive Strength: **69 Mpa**

Water Absorption: **0,23 by Weight %**

Density: **2680 kg/m3**

Flexural Strength: **14 Mpa**



SANDBLASTED DRY



SANDBLASTED WET

ALIVERI GREY

Country: **Greece**

Material: **Marble**

Color: **Grey**


Testing

Compressive Strength: **99.9 Mpa**


Water Absorption: **0.12 by Weight %**

Density: **2714 kg/m3**

Flexural Strength: **19 Mpa**



SANDBLASTED DRY



SANDBLASTED WET

SUNNY

Country: **Egypt**

Material: **Limestone**

Color: **Yellow**

Testing

Compressive Strength: **85-87 Mpa**


Water Absorption: **0.33-0.35 by Weight %**

Density: **2618-2628 kg/m3**

Flexural Strength: **10.5-10.7 Mpa**



SANDBLASTED DRY



SANDBLASTED WET

CALIFORNIA

Country: **Morocco**

Material: **Limestone**

Color: **Yellow**

Testing

Compressive Strength: **85-87 Mpa**

Water Absorption: **0.2 by Weight %**

Density: **2520 kg/m3**

Flexural Strength: **14.2 Mpa**



SANDBLASTED DRY



SANDBLASTED WET

MOCCA

Country: **Greece**

Material: **Marble**

Color: **Beige**

Testing

Compressive Strength: **150.6 Mpa**

Water Absorption: **0.29 by Weight %**

Density: **2262 kg/m3**


Flexural Strength: **6.65 Mpa**

PRODUCTS

COPINGS

DRAIN GRATES

SUPPORT OUTLANES



CODE: CP.01

Product: **Coping**
Standard Sizes: **60 x 30 x 3 cm**
60 x 25 x 3 cm
Custom Sizes on Demand

Slip Resistance according to EN 14231:2003

| | Specimen | Specimen Dimensions, mm | | | Avarage Pendulum Price (Scale C) | Remarks |
|-----|----------|-------------------------|-------|--------|----------------------------------|---------------------|
| | | Length | Width | Heigth | | |
| WET | 1 (906) | 135,92 | 85,91 | 20,64 | 53 | Kavalas unpolished |
| | 4 (909) | 136,01 | 86,22 | 19,76 | 78 | Kavalas sandblasted |
| DRY | 1 (906) | 136,09 | 86,12 | 20,80 | 6 | Kavalas unpolished |
| | 4 (909) | 136,26 | 86,05 | 20,05 | 72 | Kavalas sandblasted |



CODE: CP.01

Coping stone, model CP.01. The front profile is with half bull nose and handle grip.

The back profile can be made rectangular for skimmer type pools, with rebate for overflow pools or any other profile edge according to demand.

The surface finish is sandblasted with slip resistance ratio R13 +





CODE: CP.02

Product: **Coping**
Standard Sizes: **60 x 30 x 3 cm**
60 x 25 x 3 cm
Custom Sizes on Demand

Slip Resistance according to EN 14231:2003

| | Specimen | Specimen Dimensions, mm | | | Avarage Pendulum Price (Scale C) | Remarks |
|-----|----------|-------------------------|-------|--------|----------------------------------|---------------------|
| | | Length | Width | Heigth | | |
| WET | 1 (906) | 135,92 | 85,91 | 20,64 | 53 | Kavalas unpolished |
| | 4 (909) | 136,01 | 86,22 | 19,76 | 78 | Kavalas sandblasted |
| DRY | 1 (906) | 136,09 | 86,12 | 20,80 | 6 | Kavalas unpolished |
| | 4 (909) | 136,26 | 86,05 | 20,05 | 72 | Kavalas sandblasted |



CODE: CP.02

Coping stone, model CP.02. The front profile is with half bull nose.

The back profile can be made rectangular for skimmer type pools, with rebate for overflow pools or any other profile edge according to demand.

The surface finish is sandblasted with slip resistance ratio R13 +





CODE: CP.03

Product: **Coping**

Standard Sizes: **60 x 30 x 3 cm**

60 x 25 x 3 cm

Custom Sizes on Demand

Slip Resistance according to EN 14231:2003

| | Specimen | Specimen Dimensions, mm | | | Average Pendulum Price (Scale C) | Remarks |
|-----|----------|-------------------------|-------|--------|-------------------------------------|---------------------|
| | | Length | Width | Height | | |
| WET | 1 (906) | 135,92 | 85,91 | 20,64 | 53 | Kavalas unpolished |
| | 4 (909) | 136,01 | 86,22 | 19,76 | 78 | Kavalas sandblasted |
| DRY | 1 (906) | 136,09 | 86,12 | 20,80 | 6 | Kavalas unpolished |
| | 4 (909) | 136,26 | 86,05 | 20,05 | 72 | Kavalas sandblasted |

CODE: CP.03

Coping stone, model CP.03. The front profile is with half bull nose and anti slip strips.

The back profile can be made rectangular for skimmer type pools, with rebate for overflow pools or any other profile edge according to demand.

The surface finish is sandblasted with slip resistance ratio R13 +





CODE: CP.04

Product: **Coping**
Standard Sizes: **60 x 30 x 3 cm**
60 x 25 x 3 cm
Custom Sizes on Demand

Slip Resistance according to EN 14231:2003

| | Specimen | Specimen Dimensions, mm | | | Avarage Pendulum Price (Scale C) | Remarks |
|-----|----------|-------------------------|-------|--------|----------------------------------|---------------------|
| | | Length | Width | Heigth | | |
| WET | 1 (906) | 135,92 | 85,91 | 20,64 | 53 | Kavalas unpolished |
| | 4 (909) | 136,01 | 86,22 | 19,76 | 78 | Kavalas sandblasted |
| DRY | 1 (906) | 136,09 | 86,12 | 20,80 | 6 | Kavalas unpolished |
| | 4 (909) | 136,26 | 86,05 | 20,05 | 72 | Kavalas sandblasted |


CODE: CP.04

Coping stone, model CP.04. The front profile is embossed.

The back profile can be made rectangular for skimmer type pools, with rebate for overflow pools or any other profile edge according to demand.

The surface finish is sandblasted with slip resistance ratio R13 +





CODE: CP.05

Product: **Coping**
Standard Sizes: **60 x 30 x 3 cm**
60 x 25 x 3 cm
Custom Sizes on Demand

Slip Resistance according to EN 14231:2003

WET DRY

| Specimen | Specimen Dimensions, mm | | | Avarage Pendulum Price (Scale C) | Remarks |
|----------|-------------------------|-------|--------|----------------------------------|---------------------|
| | Length | Width | Heigth | | |
| 1 (906) | 135,92 | 85,91 | 20,64 | 53 | Kavalas unpolished |
| 4 (909) | 136,01 | 86,22 | 19,76 | 78 | Kavalas sandblasted |
| 1 (906) | 136,09 | 86,12 | 20,80 | 6 | Kavalas unpolished |
| 4 (909) | 136,26 | 86,05 | 20,05 | 72 | Kavalas sandblasted |



CODE: CP.05

Coping stone, model CP.05. The front profile is with full bull nose.

The back profile can be made rectangular for skimmer type pools, with rebate for overflow pools or any other profile edge according to demand.

The surface finish is sandblasted with slip resistance ratio R13 +





CODE: DR.01

Product: **Drain Grate**
Standard Sizes: **60 x 30 x 3 cm**
60 x 25 x 3 cm
Custom Sizes on Demand

Slip Resistance according to EN 14231:2003

| | Specimen | Specimen Dimensions, mm | | | Avarage Pendulum Price (Scale C) | Remarks |
|-----|----------|-------------------------|-------|--------|----------------------------------|---------------------|
| | | Length | Width | Heigth | | |
| WET | 1 (906) | 135,92 | 85,91 | 20,64 | 53 | Kavalas unpolished |
| | 4 (909) | 136,01 | 86,22 | 19,76 | 78 | Kavalas sandblasted |
| DRY | 1 (906) | 136,09 | 86,12 | 20,80 | 6 | Kavalas unpolished |
| | 4 (909) | 136,26 | 86,05 | 20,05 | 72 | Kavalas sandblasted |



CODE: DR.01

Drain Grate model DR.01. Flat drain grate, with 16 holes of 6mm each and parallel lines to the length of the grate.

The drain grate can have rebates in order to combine with overflow coping stones and support outlanes or special profiles according to the demand of the project.

The surface finish is sandblasted with slip resistance ratio R13 +





CODE: DR.02

Product: **Drain Grate**

Standard Sizes: **60 x 30 x 3 cm**

60 x 25 x 3 cm

Custom Sizes on Demand

Slip Resistance according to EN 14231:2003


| | Specimen | Specimen Dimensions, mm | | | Average Pendulum Price (Scale C) | Remarks |
|-----|----------|-------------------------|-------|--------|-------------------------------------|---------------------|
| | | Length | Width | Height | | |
| WET | 1 (906) | 135,92 | 85,91 | 20,64 | 53 | Kavalas unpolished |
| | 4 (909) | 136,01 | 86,22 | 19,76 | 78 | Kavalas sandblasted |
| DRY | 1 (906) | 136,09 | 86,12 | 20,80 | 6 | Kavalas unpolished |
| | 4 (909) | 136,26 | 86,05 | 20,05 | 72 | Kavalas sandblasted |



CODE: DR.02

Drain Grate model DR.02. Dished drain grate with 16 holes of 6mm each.

The drain grate can have rebates in order to combine with overflow coping stones and support outlanes or special profiles according to the demand of the project.

The surface finish is sandblasted with slip resistance ratio R13 +





CODE: DR.03

Product: **Drain Grate**

Standard Sizes: **60 x 30 x 3 cm**

60 x 25 x 3 cm

Custom Sizes on Demand

Slip Resistance according to EN 14231:2003


| | Specimen | Specimen Dimensions, mm | | | Average Pendulum Price (Scale C) | Remarks |
|-----|----------|-------------------------|-------|--------|-------------------------------------|---------------------|
| | | Length | Width | Height | | |
| WET | 1 (906) | 135,92 | 85,91 | 20,64 | 53 | Kavalas unpolished |
| | 4 (909) | 136,01 | 86,22 | 19,76 | 78 | Kavalas sandblasted |
| DRY | 1 (906) | 136,09 | 86,12 | 20,80 | 6 | Kavalas unpolished |
| | 4 (909) | 136,26 | 86,05 | 20,05 | 72 | Kavalas sandblasted |



CODE: DR.03

Drain Grate model DR.03. Dished drain grate with 16 holes of 10mm each.

The drain grate can have rebates in order to combine with overflow coping stones and support outlanes or special profiles according to the demand of the project.

The surface finish is sandblasted with slip resistance ratio R13 +





CODE: DR.04

Product: **Drain Grate**
Standard Sizes: **60 x 30 x 3 cm**
60 x 25 x 3 cm
Custom Sizes on Demand

Slip Resistance according to EN 14231:2003

| | Specimen | Specimen Dimensions, mm | | | Avarage Pendulum Price (Scale C) | Remarks |
|-----|----------|-------------------------|-------|--------|----------------------------------|---------------------|
| | | Length | Width | Heigth | | |
| WET | 1 (906) | 135,92 | 85,91 | 20,64 | 53 | Kavalas unpolished |
| | 4 (909) | 136,01 | 86,22 | 19,76 | 78 | Kavalas sandblasted |
| DRY | 1 (906) | 136,09 | 86,12 | 20,80 | 6 | Kavalas unpolished |
| | 4 (909) | 136,26 | 86,05 | 20,05 | 72 | Kavalas sandblasted |


CODE: DR.04

Drain Grate model DR.04. Flat drain grate, with 16 holes of 10mm each and parallel lines to the length of the grate.

The drain grate can have rebates in order to combine with overflow coping stones and support outlanes or special profiles according to the demand of the project.

The surface finish is sandblasted with slip resistance ratio R13 +





CODE: DR.05

Product: **Drain Grate**
Standard Sizes: **60 x 30 x 3 cm**
60 x 25 x 3 cm
Custom Sizes on Demand

Slip Resistance according to EN 14231:2003

| | Specimen | Specimen Dimensions, mm | | | Avarage Pendulum Price (Scale C) | Remarks |
|-----|----------|-------------------------|-------|--------|----------------------------------|---------------------|
| | | Length | Width | Heigth | | |
| WET | 1 (906) | 135,92 | 85,91 | 20,64 | 53 | Kavalas unpolished |
| | 4 (909) | 136,01 | 86,22 | 19,76 | 78 | Kavalas sandblasted |
| DRY | 1 (906) | 136,09 | 86,12 | 20,80 | 6 | Kavalas unpolished |
| | 4 (909) | 136,26 | 86,05 | 20,05 | 72 | Kavalas sandblasted |


CODE: DR.05

Drain Grate model DR.05. Drain grate with specially designed rebates and slots at the bottom, allowing the water to leave from the gaps

The drain grate can have rebates in order to combine with overflow coping stones and support outlanes or special profiles according to the demand of the project.

The surface finish is sandblasted with slip resistance ratio R13 +.





CODE: DR.06

Product: **Drain Grate**
Standard Sizes: **60 x 30 x 3 cm**
60 x 25 x 3 cm
Custom Sizes on Demand

Slip Resistance according to EN 14231:2003

| | Specimen | Specimen Dimensions, mm | | | Avarage Pendulum Price (Scale C) | Remarks |
|-----|----------|-------------------------|-------|--------|----------------------------------|---------------------|
| | | Length | Width | Heigth | | |
| WET | 1 (906) | 135,92 | 85,91 | 20,64 | 53 | Kavalas unpolished |
| | 4 (909) | 136,01 | 86,22 | 19,76 | 78 | Kavalas sandblasted |
| DRY | 1 (906) | 136,09 | 86,12 | 20,80 | 6 | Kavalas unpolished |
| | 4 (909) | 136,26 | 86,05 | 20,05 | 72 | Kavalas sandblasted |


CODE: DR.06

Drain Grate model DR.06. Drain Grate with parallel cuts in length, with 10 holes of 6 mm, which is inline with the norms of public swimming pools.

The drain grate can have rebates in order to combine with overflow coping stones and support outlanes or special profiles according to the demand of the project.

The surface finish is sandblasted with slip resistance ratio R13 +





CODE: SO.01

Product: **Support Outlanes**

Standard Sizes: **60 x 20 x 3 cm**
60 x 15 x 3 cm
60 x 10 x 3 cm

Custom Sizes on Demand

Slip Resistance according to EN 14231:2003

WET DRY



| Specimen | Specimen Dimensions, mm | | | Avarage Pendulum Price (Scale C) | Remarks |
|----------|-------------------------|-------|--------|----------------------------------|---------------------|
| | Length | Width | Heigth | | |
| 1 (906) | 135,92 | 85,91 | 20,64 | 53 | Kavalas unpolished |
| 4 (909) | 136,01 | 86,22 | 19,76 | 78 | Kavalas sandblasted |
| 1 (906) | 136,09 | 86,12 | 20,80 | 6 | Kavalas unpolished |
| 4 (909) | 136,26 | 86,05 | 20,05 | 72 | Kavalas sandblasted |

CODE: S0.01

Support outlane model S0.01 with rebate for overflow pools.

Surface finish: **Sandblasted**





CODE: SO.02

Producth: **Support Outlanes**

Standard Sizes: **60 x 20 x 3 cm**
60 x 15 x 3 cm
60 x 10 x 3 cm

Custom Sizes on Demand

Slip Resistance according to EN 14231:2003

WET DRY

| Specimen | Specimen Dimensions, mm | | | Avarage Pendulum Price (Scale C) | Remarks |
|----------|-------------------------|-------|--------|----------------------------------|---------------------|
| | Length | Width | Heigth | | |
| 1 (906) | 135,92 | 85,91 | 20,64 | 53 | Kavalas unpolished |
| 4 (909) | 136,01 | 86,22 | 19,76 | 78 | Kavalas sandblasted |
| 1 (906) | 136,09 | 86,12 | 20,80 | 6 | Kavalas unpolished |
| 4 (909) | 136,26 | 86,05 | 20,05 | 72 | Kavalas sandblasted |

CODE: S0.02

Support outlane model S0.02 for overflow pools with halfbull nose at the back.

Surface finish: Sandblasted



INSTALLATION PROPOSALS



Copings: **CP.04**
 Drain Grates: **DR.02**
 Support Outlanes: **SO.01**



Copings: **CP.01**
 Drain Grates: **DR.01**
 Support Outlanes: **SO.01**




Copings: **CP.05**
Support Outlanes: **S0.02**



Copings: **CP.02**
Drain Grates: **DR.05**
Support Outlanes: **S0.01**

ICONIC PROJECTS




AMANZOE LUXURY HOTEL & RESORT

Location: **Porto Heli, Greece**

Materials: **Silver Cloud, Silver Grey, Sinai Pearl and Verde Rajasthan**

Products used: **CP.02 for Coping stone and floor tiles**

Technical specificities: **Ancient Greek Architectural design, with stone inside the pool and parts with curves.**



AMANZOE LUXURY HOTEL & RESORT



ASTIR ODYSSEUS RESORT & SPA

Location: **Kos, Greece**

Materials: **California Honey Limestone**

Products used: **Coping stone CP.01 and Drain grate DR.01**

Technical specificities: **One of the biggest pools in Greece. Entirely designed with curves.**



ASTIR ODYSSEUS RESORT & SPA



DOMES MIRAMARE

Location: **Corfu, Greece**

Materials: **Mocca Cream**

Products used: **Coping stone CP.01 and Drain grate DR.01**

Technical specificities: **Curve pieces**





DOMES MIRAMARE



AMIRANDES BOUTIQUE HOTEL

Location: **Crete, Greece**

Materials: **Silver Cloud, Silver Grey and Landscape stones**

Products used: **CP.02 for Coping , DR.01 for drain grate and virity of stone and floor tiles**

Technical specificities: **Variety of stones and floor tiles**





AMIRANDES BOUTIQUE HOTEL



STELLA ISLAND LUXURY RESORT & SPA

Location: **Crete, Greece**

Materials: **Mocca Cream**

Products used: **CP.02 for Coping stone**

Technical specificities: **Biggest pool in Greece, designed entirely with curves.**



STELLA ISLAND LUXURY RESORT & SPA



DAIOS COVE LUXURY RESORT & VILLAS

Location: **Crete, Greece**

Materials: **Silver Cloud, Silver Grey, Sinai Pearl and Verde Rajasthan**

Products used: **Coping stone CP.01 and Drain grate DR.01**

Technical specificities: **Pool renovation project. Stone elements inside the pool, curve pieces.**





DAIOS COVE LUXURY RESORT & VILLAS




KYNISKA PALACE CONFERENCE & SPA

Location: **Mistras, Greece**

Materials: **Mocca**

Products used: **CP.01 for coping**





KYNISKA PALACE CONFERENCE & SPA



PRIVATE RESIDENCE

Location: **Panama**

Materials: **Silver Grey**

Products used: **Tiles of marbles inside the pool**

Pool Designer: **Joan Roca**



PRIVATE RESIDENCE

WELLNESS & SPAS



EUPHORIA RETREAT


Location: **Mytstras, Greece**

Materials: **Silver Cloud**





EUPHORIA RETREAT



6 SENSES SPA PORTO ELOUNDA GOLF & SPA RESORT

Location: **Crete, Greece**

Materials: **Flooring with Dionissos Marble.**

Wal cladding with antique Limestones in various colors and sizes.

Travertino Light & California Limestone.



6 SENSES SPA PORTO ELOUNDA GOLF & SPA RESORT

PROJECTS

GALLERY



GRACE

Location: **Santorini, Greece**

Materials: **Silver Grey**

Products used: **CP.02**



MYKONOS RIVIERA

Location: **Mykonos, Greece**

Materials: **Silver Cloud**

Products used: **Coping stone CP.02 and Drain grate DR.01**



BLUE PALACE LUXURY COLLECTION RESORT & SPA

Location: **Crete, Greece**

Materials: **Kavala**

Products used: **CP.02**



AKTI HELONA

Location: **Kos, Greece**

Materials: **California beige and Sunny Beige**

Products used: **Coping stone CP.01 and Drain grate DR.01**



ANEMOS LUXURY GRAND RESORT

Location: Crete, Greece

Materials: Afyon White Marble

Products used: CP.02



MITSIS ALILA RODOS EXCLUSIVE RESORT & SPA

Location: **Rhodes Island, Greece**

Materials: **Kavala**

Products used: **Kavala Overflow CP.01 - DR.01**



LAGUNA RESORT & SPA

Location: **Crete, Greece**

Materials: **Sunny**

Products used: **CP.02**



IKAROS BEACH RESORT & SPA

Location: **Crete, Greece**

Materials: **California beige and Kavalas**

Products used: **Coping stone CP.02 and Drain grate DR.01**

PROJECTS INVENTORY

AMAN ZOE RESORTS**ELOUNDA PENINSULA ALL SUITE HOTEL****MIT SIS ALILA EXCLUSIVE RESORT & SPA****MIT SIS BLUE DOMES****ASTIR ODYSSEUS****BLUE PALACE****ELOUNDA BEACH****IKAROS VILLAGE****NANA BEACH****BLUE SEA****GRACE MYKONOS****PORTO ELOUNDA GOLF & SPA RESORT****LAGONISI GRAND RESORT****MIT SIS LAGUNA EXCLUSIVE RESORT & SPA****DAIOS COVE****ELOUNDA VILLAGE****ELOUNDA BAY****ELOUNDA ILION****AMIRANDES GRECOTEL****AQUILA ATLANTIS HOTEL****HOTEL SAMARIA****GRACE SANTORINI**

CANDIA MARIS RESORT & SPA

CALDERA PALACE

ELOUNDA GULF VILLAS & SUITES

MALLIA PARK

SITIA BEACH

HAPIMAG DAMNONI

EVER EDEN

DOMES MIRAMARE

EUPHORIA MYSTRAS

KALEA BAY

ANEMOS LUXURY GRAND RESORT

HELONA RESORT

PORTO RETHIMNO

MINOS IMPERIAL LUXURY BEACH RESORT & SPA

MINOS PALACE

HOTEL RITHYMNA

ANEMOS

ASTERAS VOULIAGMENI

HOTEL ABATON

PALACE LEHAVIM ISRAEL

Z-G Industrial Zone
71601 Crete, Greece

(+30) 281 0380054

Iridanou 16-18
11528 Athens, Greece

(+30) 210 9945011

www.stonetechpools.gr
info@stonetechpools.gr

